

AD-A093 050

MARK RESOURCES INC MARINA DEL REY CA

RFSS. SUGGESTED DATA FORMAT FOR MIRADCOM TARGET MODELS.(U)

F/6 9/2

APR 78 R L MITCHELL

DAAK48-78-C-0031

UNCLASSIFIED

MRI-149-18

ML

1 of 1  
AD-A  
0000000



END  
DATE  
FILMED  
-81  
DTIC

AD A093050



①

6 RESS

SUGGESTED DATA FORMAT FOR MIRADCOM TARGET MODELS.

TECH NOTE 105-041

26 APR 78

14 MRI-149-18,  
MRI-TN-105-041

1212

PREPARED FOR: RF SYSTEMS BRANCH (DRDMI-TDR)  
SYSTEMS SIMULATION DIRECTORATE  
TECHNOLOGY LABORATORY  
US ARMY MIRADCOM  
REDSTONE ARSENAL, AL 35809

DEC 1 1980

A

5 DARK 40-78-C-2231

PREPARED BY: 10 DR. R. L. MITCHELL  
MARK RESOURCES, INC.  
4676 ADMIRALTY WAY  
SUITE 303  
MARINA DEL REY, CA 90291

DDC FILE COPY

DISTRIBUTION STATEMENT A  
Approved for public release;  
Distribution Unlimited

91766

80 0 2 169



# SUGGESTED DATA FORMAT FOR MIRADCOM TARGET MODELS

MRI Report 149-18

R. L. Mitchell

26 April 1978

This memo is written in response to Mike Mumford's Target Model (dated 2 March 1978, in the form of a computer listing).

The form of this target model is

$$\begin{pmatrix} a \\ x \\ y \\ z \end{pmatrix} = \begin{bmatrix} a_0 & a_1 & a_2 & a_3 \\ x_0 & x_1 & x_2 & x_3 \\ y_0 & y_1 & y_2 & y_3 \\ z_0 & z_1 & z_2 & z_3 \end{bmatrix} \begin{pmatrix} 1 \\ \theta \\ \theta^2 \\ \theta^3 \end{pmatrix}$$

(one page rept)

where a, x, y, and z are the amplitude and location of a scatterer as a function of  $\theta$ , the target aspect (azimuth) angle. The 16 constants apply over some limited interval of  $\theta$ .

In order to ease the burden of implementing this target model on several different computer systems, the use of cards for data input is suggested. The following data format is also suggested for each card:

Word 1	- A, X, Y, or Z	(A2)
Word 2	- Scatterer number	(I4)
Word 3	- Lower limit of $\theta$	(F8.3)
Word 4	- Upper limit of $\theta$	(F8.3)
Words 5-8	- The four constants	(4E14.6)

Note that words 2 through 4 will be repeated for four cards, which comprise the data for one scatterer for one set of aspect angles. If we assume that there is an average of six aspect angle regions, then ten scatterers can be recorded on  $10 \times 6 \times 4 = 240$  cards. The table size required for storing the constants is  $10 \times 6 \times 16 = 960$  words, with an additional  $10 \times 6 = 60$  words for the limits of  $\theta$ .

**DAT  
FILM**